## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"20050010781"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 09:43
L4	2765	709/206.ccls. and @ad<"20021126"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:38
L5	140	4 and (digital adj (fingerprint\$1 or signature \$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:39
L6	22583	(digital adj (fingerprint\$1 or signature\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:53
L7	166500	(e\$1mail or (electronic adj (mail or message\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:53
L8	902	6 with 17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:54
L9	350	l6 with I7 and @ad<"20021126"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:54
L10	515232	(authenticat\$4 or verif\$8)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:55
L11	7696	110 with I7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:55
L12	177	9 and I11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/25 10:55
L13	70	112 and HTML	US-PGPUB; USPAT; DERWENT; IBM TDB	OR	OFF	2008/08/25 10:55

S1	0	"09676577"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:38
S2	4	rpost.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/03 14:06
S3	623	(registered or certified) adj (e\$1mail or (electronic adj (mail or message\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/03 14:06
S4	362	(registered or certified) adj (e\$1mail or (electronic adj (mail or message\$1))) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/03 14:07
S5	48	(registered or certified) adj (e\$1mail or (electronic adj (mail or message\$1))) and @ad<"20021127" and hash\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 14:49
S6	14	tomkow-t\$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/03 14:21
S7	0	60/146,074	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:35
S8	1	"60146074"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 10:57
S9	1	"20060112165"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:18
S10	93	("20020144154" "20030172120" "20060112165" "5826034" "6725429" "7196807" "20040221014" "20040225608" "20040230657" "2005021963" "20050198511" "6081899" "6285991" "6829591" "20020018818" "20020018818" "20030237005" "20040019780" "20040019780"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05

/MTH/

		"20040151323" "20040215472" "20050216771" "20060167940" "5838461" "5790790" "6076101" "5832220" "6206638" "6385655" "6487599" "6618747" "6691156" "66842772" "6973481" "20020104026" "20030101346" "20030101346" "20030149726" "20050198356" "20060242247" "6285745" "6959292" "20020046250" "6147977" "20030086124" "20060265464" "5752059"				
S11	117	server\$1 with add\$3 with attachment\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:33
S12	3	server\$1 with add\$3 with attachment\$1 and attachment\$1 with address with recipient with sender	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:34
S13	39	server\$1 with attachment \$1 and attachment\$1 with address with recipient with sender	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 13:19
S14	739	713/170.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 13:19
<b>S</b> 15	511	713/170.ccls. and @ad< "20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 13:19
S16	6	("6145079").URPN.	USPAT	OR	OFF	2007/07/05 14:15
S17	0	hush\$1mail.as.	USPAT	OR	OFF	2007/07/05 14:15
S18	8	hush.as.	USPAT	OR	OFF	2007/07/05 14:48
S19	42	(e\$1mail or (electronic adj (mail or message\$1))) with (confirm\$6) with (receipt or deliver\$3) and @ad<~20021127" and nash\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 08:42

/MTH/

38	(e\$1 mail or (electronic adj			**********	***************************************
	(mail or message\$1))) with (confirm\$6) with (receipt or deliver\$3) and @ad<"20021127" and copy with recipient	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/05 15:32
4048	hash\$3 with hashes	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:39
4048	hashes	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:39
626	hash adj hash\$2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:39
1155	hash\$3 adj hash\$2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:39
2	hash\$3 adj hash\$2 same compress\$4 same encrypt \$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:40
185	hash\$3 adj hash\$2 same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:40
30	hash\$3 near hashes same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 09:57
61	hash\$3 with multiple adj times	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 10:04
0	signature\$1 same hash\$3 with multiple adj times same compress\$5 same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 10:05
188	signature\$1 same hash\$3 same compress\$5 same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 10:05
	4048 626 11155 2 185 30 61	4048 hashes  626 hash adj hash\$2  1155 hash\$3 adj hash\$2  2 hash\$3 adj hash\$2 same compress\$4 same encrypt \$4  185 hash\$3 adj hash\$2 same encrypt\$4  30 hash\$3 near hashes same encrypt\$4  61 hash\$3 with multiple adj times same compress\$5 same encrypt\$4  188 signature\$1 same hash\$3 with multiple adj times same compress\$5 same encrypt\$4	USPAT: DEFWENT; IBM_TDB  4048 hashes US-PGPUB; USPAT: DEFWENT; IBM_TDB  626 hash adj hash\$2 US-PGPUB; USPAT: DEFWENT; IBM_TDB  1155 hash\$3 adj hash\$2 US-PGPUB; USPAT: DEFWENT; IBM_TDB  2 hash\$3 adj hash\$2 same compress\$4 same encrypt S4 same encrypt S4 same same encrypt\$4  185 hash\$3 adj hash\$2 same encrypt\$4  30 hash\$3 adj hash\$2 same encrypt\$4  186 US-PGPUB; USPAT: DEFWENT; IBM_TDB  30 hash\$3 near hashes same encrypt\$4  187AT; DEFWENT; IBM_TDB  30 hash\$3 near hashes same encrypt\$4  US-PGPUB; USPAT: DEFWENT; IBM_TDB  US-PGPUB; USPAT: DEFWENT; IBM_TDB	USPAT; DEFWENT; IBM_TDB  4048 hashes  US_PGPUB; USPAT; DEFWENT; IBM_TDB  626 hash adj hash\$2 US_PGPUB; USPAT; DEFWENT; IBM_TDB  1155 hash\$3 adj hash\$2 US_PGPUB; US_PAT; DEFWENT; IBM_TDB  185 hash\$3 adj hash\$2 same compress\$4 same encrypt \$4 US_PGPUB; US_PGPUB; US_PGPUB; US_PAT; DEFWENT; IBM_TDB  185 hash\$3 adj hash\$2 same encrypt;\$4  186 US_PGPUB; US_PGPUB; US_PGPUB; US_PAT; DEFWENT; IBM_TDB  30 hash\$3 near hashes same encrypt;\$4  187 US_PGPUB; US_PGPU	USPAT; DERWENT; IBM_TDB  4048 hashes  US_POPUB; USPAT; DEFWENT; IBM_TDB  626 hash adj hash\$2 US_POPUB; USPAT; DEFWENT; IBM_TDB  1155 hash\$3 adj hash\$2 US_POPUB; US_POPUB; US_PAT; DEFWENT; IBM_TDB  2 hash\$3 adj hash\$2 same compress\$4 same encrypt \$4  185 hash\$3 adj hash\$2 same encrypt;\$4  186 hash\$3 near hashes same encrypt;\$4  30 Bash\$3 near hashes Bash\$3 Near hash\$3 Bash\$3 N

S32	116	signature\$1 same hash\$3 with compress\$5 same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 10:05
S33	2	"20040221014"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 12:46
S34	10382	compress\$4 with encrypt \$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 12:47
S35	521	compress\$4 with encrypt \$4 with time	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 12:47
S36	35	compress\$4 with encrypt \$4 with smaller	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/07/06 12:47
S37	545	713/170.ccls. and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 07:46
S38	0	[((e\$1mail or (electronic ad) (mail or message\$1))) same ((html near2 attachment\$1) with (sender and recipient\$1 and time and (hash\$2 or digest\$1 or signature \$1)))) and @ad<'20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 08:52
<b>S</b> 39	7	((e\$1mail or (electronic adj (mail or message\$1))) same ((attachment\$1) with (sender and recipient \$1 and time and (hash\$2 or digest\$1 or signature \$1))) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:07
S40	340	((e\$1mail or (electronic adj (mail or message\$1))) same metadata) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:08
S41	8	((e\$1mail or (electronic adj (mail or message\$1))) same metadata with attachment) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:22

Updated

S42	2031	((e\$1mail or (electronic adj (mail or message\$1))) with html) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:23
S43	2	((e\$1mail or (electronic adj (mail or message\$1))) with html with hash\$2) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:24
S44	23	((e\$1mail or (electronic adj (mail or message\$1))) with html with (signature \$1 or digest\$1 or hash \$2)) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 10:01
S45	758	html near3 email	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 10:01
S46	56	((e\$1mail or (electronic adj (mail or message\$1))) with body with html) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 10:03
S47	10	((e\$1mail or (electronic adj (mail or message\$1))) with html adj attachment) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/22 10:03
S48	584	713/170.cds. and @ad< "20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/21 14:14
<b>S4</b> 9	1636	(713/176.ccls. or 713/179. ccls.) and @ad<"20021127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/21 15:03
S50	1513	S49 not S48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/21 15:03
S51	177	S50 and server\$1 with ((digital\$2 adj (sign\$1 or signature\$1)) or (hash\$3) or (digest\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/21 15:12
S52	0	tomkow-terr.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/22 09:41
S53	9	tomkow-terr\$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/08/22 09:41

8/25/08 11:03:00 AM



C:\ Documents and Settings\ mhenning\ My Documents\ EAST\ Workspaces\ 10719812.wsp